

DOP-0002

DECLARATION OF PERFORMANCE

DoP Number:

TLJ-DOP-AMER1

1. Unique identification code of the product-type:

TLJ American Electronic Lock

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:

INF/PC/L/A – 60mm B/Set Radial

INF/PC/R/A - 60mm B/Set Radial

INF/PG/L/A - 60mm B/Set Radial

INF/PG/R/A - 60mm B/Set Radial

INF/SG/L/A – 60mm B/Set Radial

INF/SG/R/A – 60mm B/Set Radial

INF/SS/L/A – 60mm B/Set Radial

INF/SS/R/A - 60mm B/Set Radial

IDE/PC/L/A – 60mm B/Set Radial

IDE/PC/R/A – 60mm B/Set Radial

IDE/PG/L/A – 60mm B/Set Radial

IDE/PG/R/A - 60mm B/Set Radial

IDE/SG/L/A - 60mm B/Set Radial

IDE/SG/R/A - 60mm B/Set Radial

IDE/SS/L/A – 60mm B/Set Radial

IDE/SS/R/A - 60mm B/Set Radial

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

For use on fire and smoke compartmentation doors, when fitted in accordance with the manufacturer's fitting instructions.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required by under Article 11(5):

TLJ Group Ltd, T/A TLJ Access Control 68/78 Leads Road, Hull, East Yorkshire, HU7 0BY, United Kingdom

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

N/A

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 1 – FPC & ISO: 9001 2015, 14001 2015, 45001 2018

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

EN 14846:2008 incorporating Corrigendum No 1 Notified product certification by approved body no as below:

- o UKCA 1121
- o CE 2812

Performed the determination of the product type on the basis of type testing (including sampling); initial inspection of the manufacturing plant and of the factory production control and continuous surveillance; assessment and evaluation of factory production control; and issued the certificate of constancy of performance of the product.

EN1634-1:2018 Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware. Fire resistance test for door and shutter assemblies and openable windows. Testing successful for both 30 minutes and 60 minutes.

8. European Technical Assessment:

CeritFire accredited - CFR5636

9. Declared Performance:

EN14846:2008

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Mr Luke Martin Chief Technical Officer

Date of Issue: 8th March 2024

TLJ Group Limited HQ 68/78 Leads Road, Hull East Yorkshire, HU7 0BY United Kingdom

